

Dergall 100ml

The complete mite treatment for chickens!

Dergall is suitable for the control of red mites, northern fowl mite and scaly leg mite in chickens. Red mites are nocturnal so only make an appearance at night, this can sometimes lead you to think there are not any in your chicken house. When red mites come out they are on a mission to feed by sucking your bird's blood. This is highly irritating for the birds, causes unrest and prevents the birds from recharging. If left without treating, red mites can induce a drop in egg production, stress and eventually anaemia through excessive blood loss.



Instructions:

- Before applying Dergall, it is best to dry clean the house and dispose of any bedding.
- Once swept out, mix the Dergall into a small sprayer and mist spray onto all internal areas, focusing on crevices and particularly the perches and nest boxes, as mites have to climb on to the perch to crawl up the birds' legs to feed.
- A tip is to spray Dergall at night when the mites are at their most active. This can easily be done with a helper holding a torch, avoid shining it directly into the birds' eyes.
- If you do not wish to spray when it is dark then spray as late as you can in the day, this ensures the Dergall is fresh (rather than spraying first thing in the morning) as the mites will not be coming in to contact with the solution until the end of the day.
- Always make up fresh as required and use within 12 hours.
- Any unused diluted product can be sprayed onto the outside the coop to use up and destroy any mites trying to make a getaway!
- Dergall works by mechanically immobilising red mites. The reduction of population is visible within 72 hours from the initial application.
- If you have a large mite population you will need to reapply 5-7 days after the first treatment to destroy any newly hatched mites or subsequently mites hatched after the first spray.
- Dergall has the added advantage of killing scaly leg mite and Northern fowl mites which can cause severe irritation and depression in chickens. Dergall can be sprayed directly onto a bird's legs without causing any harm. Alternatively, dip a bird's legs into a solution of Dergall (10ml to 1 litre of water, same as house spray dilution) to eradicate the scaly leg mite. Repeat in 7-10 days.
- Detailed instructions inside pack.

Contents:

Organomodified siloxanes, silanes, antioxidants.



THE CHICKEN VET

Nutwell Estate, Lymptone, Exmouth, Devon, EX8 5AN
T: +44 (0)1392 872885 F: +44 (0)1392 873010 E: info@chickenvet.co.uk
www.chickenvet.co.uk

**Storage:**

Store between 0°C-30°C.

Safety Phrases:

Dergall concentrate causes serious eye irritation and can be harmful if inhaled. The product is toxic to aquatic life with long lasting effects. Keep out of the reach of children. Wear protective gloves, protective clothing and eye and face protection. If Dergall concentrate gets into eyes: Rinse carefully with water for several minutes. Remove contact lenses if possible. If eye irritation persists, seek medical advice.

If Dergall concentrate is diluted in water at 1% concentration as instructed, the formulation will not cause eye or respiratory tract irritation.



THE CHICKEN VET

Nutwell Estate, Lypstone, Exmouth, Devon, EX8 5AN
T: +44 (0)1392 872885 F: +44 (0)1392 873010 E: info@chickenvet.co.uk
www.chickenvet.co.uk